

**Pressure- / suction-hose dimensionally stable**

Rigid PVC-spiral-hose, inside and surface unruffled, with B-Storz coupling bothsides.

Colour: green-clear

Application area: Water, watering and dewatering

Art.Nr. 1061 Storz B, Ø 65 mm, Length 3 m

Art.Nr. 1091 Storz B, Ø 65 mm, Length 4 m

Art.Nr. 1092 Storz B, Ø 65 mm, Length 5 m

Art.Nr. 1451 Storz A, Ø 100 mm, Length 3 m

Art.Nr. 1553 Storz A, Ø 100 mm, Length 5 m

Other length on request.

**Coupling wrenches BC (2 pcs.)**

with protection against cold

Weight: 1,3 kg

Art.Nr. 113

Coupling wrenches ABC (2 pcs.)

with protection against cold

Weight: 1,3 kg

Art.Nr. 114

**Connecting cable carrier**

To roll up the connection cable

(available for ATP 10 R, ATP 10 RL and ATP 20 R)

for ATP 10 R / RL

Weight: 1,3 kg

Art.Nr. 5023

for ATP 20 R

Weight: 1,6 kg

Art.Nr. 5024





Pressure hose acc. to DIN 14 811
Firefighters hose, very light-weight and flexible, non-ageing, temperature-resistant, moulder-resistant, branded polyester, double-twisted and strengthened shakle.

Art.Nr. DIN 14811-B-20-K
B- Storz (75 mm), Length 20 m
Weight: 10,0 kg

Art.Nr. DIN 14811-A-15-K
A-Storz (100 mm), Length 15 m
Weight: 14,0 kg



Discharge pipe Storz B (zincked)
Weight: 2,5 kg

Art.Nr. 131



Rope with carabiner
Length 10 m
Colour: red
Weight: 0,6 kg

Art.Nr. 506



Rope acc. to DIN 14 828
Length 1,8 m
with wooden handle and loop
Colour: white / red
Weight: 0,2 kg

Art.Nr. 513

flat suction reducer (types without frame):

Reducer Storz B-C
for ATP 10
Weight: 0,6 kg

Art.Nr. 117

Reducer Storz A-B
for ATP 20
Weight: 1,5 kg

Art.-Nr. 119

**Suction strainer with non-return flap**

Size Storz A
L:293 x W:184 x H:240 mm
Weight: 4,3 kg

Size Storz B
L:215 x B:126 x H:176 mm
Weight: 1,9 kg

Advice: In application with sewage pumps
the protective strainer should be removed
to gain a bigger grain passage.



Divider Storz A-BB DIN 14 355
incl. 1 x flap Storz B with chain
(without non-return flap)
Weight: 3,3 kg

Art.-Nr. 116